

## CLAIMS

1. A bioactive polypeptide, MF3, with a primary structure depicted in SEQ ID NO:1,  
5 | an active fragment of MF3, or any functional derivative of MF3, said polypeptide,  
active fragment or functional derivative being capable of effecting a resistance of a  
plant against microbial diseases and/or against attack of plant parasites.
2. An isolated DNA sequence depicted in SEQ ID:2, or fragment thereof, encoding a  
10 | functionally active MF3 or its active fragment according to claim 1, wherein said  
DNA fragment may contain degenerate codons.
3. A method of acquiring resistance of a plant against microbes and/or plant parasites  
by introducing the bioactive polypeptide MF3, or an active fragment, or a functional  
15 | derivative thereof into plants mechanically or by means of carrier molecules.
4. The method according to claim 3, wherein the carrier is chitosan.
5. A vector comprising the DNA according to claim 2.  
20 |
6. The method of generating a transgenic plant or plant cell culture comprising a  
vector according to claim 5, wherein the plant cells express the polypeptide encoded  
by the DNA.
- 25 | 7. A host cell stably transformed or transfected with a vector of claim 5.
8. A plant protectant composition comprising isolated components of claim 1.
9. The active fragment of MF3 according to claim 1, wherein the amino acid  
30 | sequence consists of SEQ ID:3 or SEQ ID:4.
10. A method of isolating and purifying the polypeptide of claim 1 from bacterial  
cells expressing said polypeptide, the method comprising the steps:

- a) cultivating a microbial producer strain and extracting cells with a buffer solution at an elevated temperature;
- b) precipitating a crude MF3 polypeptide at low temperature with a precipitant;
- c) fractionating re-dissolved precipitate by an anion exchange chromatography
- 5 column and collecting fractions with anti-microbial or anti-insect activities;
- d) performing polyacrylamide gel electrophoresis of the polypeptide fractions with anti-microbial, anti-nematode, or anti-insect activities;
- e) recovering the protein eluted from the gel of step d.

10

15

20

25

30

## SUMMARY OF THE INVENTION

The object of the invention is a protein, termed MF3, or a functional derivative thereof with a novel structure that surprisingly can induce multiple resistance in plants toward a variety of viral and microbial infections and against pests. The invention also concerns an isolated DNA sequence encoding MF3 protein, as such, or as a part of any DNA sequence, or a fragment thereof, or DNA sequences which have degenerate codons with respect to the DNA sequence defined above. The invention also concerns a method of isolating and purifying the protein MF3 from bacterial cells expressing the said protein and its use as a plant protectant with or without carrier agent Furthermore, the invention concerns a method of obtaining transgenic plants expressing said protein. A further object of the invention is the use of the protein, or of compositions containing the same, as a plant protectant, biopesticide for inducing resistance of plants to viral, microbial phytopathogens and pests.

15

20

25

30

## REFERENCES

- Pietrzak, M., Shillito, R.D., Hohn, T., Potrykus, I. Expression in plants of two bacterial antibiotic resistance genes after protoplast transformation with a new plant expression vector. *Nucleic Acids Res.*, 1986, v.14, pp.5857-5868.
- 5 Bevan, M. Binary *Agrobacterium* vectors for plant transformation. *Nucleic Acids Res.*, 1984, v.12, pp.8711-8721.
- Van Haute E., Joos, H., Maes, S., Warren, G., Van Montagu M., Schell, J. - Intergeneric transferband exchange recombination of restriction fragment cloned in pBR322:a novel strategy for reversed genetics of the Ti plasmids of *Agrobacterium tumefaciens*. *EMBO J.*, 1983, v.2, pp.411-418.
- 10 *Baulcombe D.* 1994. Novel strategies for engineering virus resistance in plants. *Current Opinion in Biotechnology.*, 5, 117-124.
- Bradford M.* 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal.*
- 15 *Biochem.*, 72, 276-287.
- Christophe Breton, Hichem Chellil, Majida Kabbaj-Benmansour, Eric Carnazzi, René Seyer, Sylvie Phalipou, Denis Morin, Thierry Durroux, Hans Zingg, Claude Barberis, and Bernard Mouillac.* 2001. Direct Identification of Human Oxytocin Receptor-binding Domains Using a Photoactivatable Cyclic Peptide
- 20 Antagonist .Comparison with the human V1 a vasopression receptor. *J. Biol. Chem.*, Vol. 276, Issue 29, 26931-26941, July 20, 2001
- Cion R.A.* The manual of determinative microbiology. OGIZ-SELHOZGIZ. Moscow. 1948. p. 484 (In Russian).
- de Barjac H. and A.Bonnefoi.* 1967. A classification of strains of *Bacillus thuringiensis* Berliner with a key to their differentiation. *J Invertebr. Pathol.* 11, 335-
- 25 347.
- de Barjac H. and A.Bonnefoi.* 1967. Classification des souches de *Bacillus thuringiensis*. *C R Acad Sci (Paris)* 264, 1811-1813.
- Golishin N.M.* Fungicide in agriculture, Moscow, "Kolos"1982.pp. 20-66
- 30 *Jackman P.J.H.* Microbial systematics based on electrophoretic whole-cell protein patterns. *Methods in microbiology.* Academic Press, London. Ed. by R.R.Colwell and Grigorova R.. 1987. Vol.19. pp. 210-224.
- Krieg A.* 1968. A taxonomic study of *Bacillus thuringiensis* Berliner. *J. Invertebr. Pathol.* 12, 366-378.

*Laemmli U.K.* 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227, 680-685.

*Latterell F.M., Marchetti M.A., Grove B.R.* Co-ordination of effort to establish an international system for race identification in *Pyricularia oryzae*. The Rice Blast  
5 Disease. Baltimore, Maryland: The Johns Hopkins Press: 1964. pp. 257-268.

*Sambrook J., Fritsch E.F. and Maniatis T.*, 1989. Molecular cloning. A Laboratory Manual 2nd ed. Cold Spring Harbor Laboratory Press.

*Schroder K, Zuber P., Willmsky G., Wagner B. and Marahiel MA.*1993. Mapping of the *Bacillus subtilis* csp B gene and cloning of its homologs in  
10 thermophilic, mesophilic and psychrotrophic bacilli. *Gene*, 136, 277-280.

*Smith N.R., R.E.Gordon and F.E.Clark.* 1952. Aerobic sporeforming bacteria. Agr.Monogr. 16 U S Dept. Agr, pp. 1-148.

The shorter Bergey's manual of determinative bacteriology // The Williams and Wilkins Company, Baltimore. Ed. by Holt. 1980. P.495.